

FPQ Cores



Type	DIMENSION (unit: mm)						
	A	B	C	D1	D2	E	F
FPQ20/16	20.5±0.4	16.2±0.2	14.0±0.4	18.0±0.4	13.30min	8.80±0.2	10.3±0.2
FPQ20/20	20.5±0.4	20.2±0.2	14.0±0.4	18.0±0.4	13.30min	8.80±0.2	14.3±0.2
FPQ26/20	26.5±0.45	20.15±0.25	19.0±0.45	22.5±0.45	15.50min	12.0±0.2	11.5±0.3
FPQ26/25	26.5±0.45	24.75±0.25	19.0±0.45	22.5±0.45	15.50min	12.0±0.2	16.1±0.3
FPQ32/20	32.0±0.5	20.55±0.25	22.0±0.5	27.5±0.5	19.00min	13.45±0.25	11.5±0.3
FPQ32/30	32.0±0.5	30.35±0.25	22.0±0.5	27.5±0.5	19.00min	13.45±0.25	21.3±0.3

Core set parameter and electrical characteristics

AL-Value(nH/N²):1KHz,0.25V,100Ts,25±3°C

Type	Le (mm)	Ae (mm ²)	Cl (mm ⁻¹)	Ve (mm ³)	Material				
					JPP-3	JPP-4	JPH-5	JPH-7	JPH-10
FPQ20/16	37.4	62.0	0.60	2318.8	3650	3350	-	-	-
FPQ20/20	45.4	62.0	0.73	2814.8	3150	2900	-	-	-
FPQ26/20	46.3	119.0	0.39	5509.7	5700	5250	-	-	-
FPQ26/25	55.5	118.0	0.47	6549.0	5000	4600	-	-	-
FPQ32/20	55.5	170.0	0.33	9435.0	6950	6400	-	-	-
FPQ32/30	74.6	161.0	0.46	12010	4950	4550	-	-	-